

RESIFILL 715D

RETANNING RESIN

CHEMICAL COMPOSITION

High-molecular plastic polymer chemically modified to make it polar

CHARACTERISTICS

<i>Appearance:</i>	<i>pink medium dense liquid</i>
<i>Ionic charge:</i>	<i>anionic</i>
<i>pH in 10% sol:</i>	<i>6,5 – 7,5</i>
<i>Concentration:</i>	<i>10 – 15%</i>
<i>Compatibility:</i>	<i>with natural, synthetic tannins, with polyacrylates, sulphonated and sulphited oils</i>
<i>Storage:</i>	<i>6 months in normal conditions</i>

PROPERTIES AND USE

RESIFILL 715D can be used alone or combined with natural and synthetic tannins, which are added to the same float.

RESIFILL 715D provides grain firmness and very good hand roundness and fullness.

Use percentages vary from 3 to 6% on shaved weight, depending on leather type and on their thickness. It is also used after fatliquoring to obtain maximum effects.