

SCIVOLANTE MG205

LEATHER SLIPPING PRODUCT

CHARACTERISTICS

Appearance:

very fine grey - coloured powder

33

pH in solution at 10%: 7 - 8

PROPERTIES

SCIVOLANTE MG205 is a slipping agent that, added during the working of the skins in barrel, increases the viscosity of the liquids, thus decreasing the friction and the rubbing due to the mechanical action. The use of SCIVOLANTE MG205 can be advantageous in the following cases:

- To decrease the lowerings of the grains due to the mechanical action during the workings of vegetable tannage, vegetable retannage and with synthetics on chrome and dyeing both on chrome and vegetable tanned skins, specially when working on large lots, when the rotations last long and when you work in brief baths;
- To avoid knotting, tearing and folding when you work on sides, on thin skins for garment and furniture;
- In the quick tanning of the upper and of the kip, to avoid lowerings of the grain, foldings and increase in temperature;
- To facilitate the emptying of the barrel.

Our suggestions for the use of the products correspond to our present knowledge. They do not release the purchaser in any way whatsoever from the responsibility of carrying out their own tests to establish the suitability of the products applied in relation to the results that are to be obtained. The usage methods of the products are not within our control and therefore become the complete responsibility of the purchaser. We guarantee the quality of our products in respect of the general sales and supply terms and conditions.



USAGE METHOD

You can use from 0,5% to 1% on pelt weight in the upper vegetable tanning with rapid system.

You can use from 0,5% to 0,7% on pelt weight in the kip vegetable tanning. You can use from 0,6% to 0,7% on shaved weight in vegetable retanning or with synthetics of chrome-tanned skins.

You can use from 0,5% to 0,6% on shaved weight in dyeing both for vegetable-tanned skins and chrome-tanned skins.

WARNING

SCIVOLANTE MG205 is an anionic product, so it cannot be used in floats containing cationic products (for example in tannage or re-tannage with mineral tanning products).

In vegetable tannage it is advisable to add it after 60-90 minutes of rotation because it could hinder the penetration of tanning extracts.

Our suggestions for the use of the products correspond to our present knowledge. They do not release the purchaser in any way whatscever from the responsibility of carrying out their own tests to establish the suitability of the products supplied in relation to the results that are to be obtained. The usage methods of the products are not within our control and therefore become the complete responsibility of the purchaser. We guarantee the quality of our products in respect of the general sales and supply terms and conditions.